



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38					6280	9474	14000		567			
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50		9714			1240		276					
Vuren C 21.5x48 geëgaliseerd en gebost	22	50		1	277	949	349		17	4056		4215	23	
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50							1228		103			
Vuren C geschaafd circa 30x45mm	32	50				692		8		830	2	412		
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50					484	1318			839			
Vuren C geschaafd circa 30x58 mm	32	63		558		168				81	560	548		
Vuren C geschaafd circa 30x70mm	32	75						259		20	216	415		
Vuren KOMO C geschaafd circa 30x120mm	32	125		308	339	559	444	202	305	317	293	279		
Vuren KOMO C geschaafd circa 30x145mm	32	150	13			107	72	252	524	4	3	707		
Vuren C24 geschaafd circa 30x170mm	32	175		1	30	1		12	168	182				
Vuren C24 geschaafd circa 30x195mm	32	200				30	119	314	170	298	46	17		
Vuren C24 geschaafd circa 30x220mm	32	225				181	152	480	223	163	79	119		
Vuren C24 geschaafd circa 30x245mm	32	250				108	299	291	70	207	351			
Vuren C24 geschaafd circa 38x089mm	38	89	3	227	62	595	185	517	288	148	716	402	440	962
Vuren C24 geschaafd circa 38x120mm	38	120			22	12	154	122	112	238	78	352		1262
Vuren C24 geschaafd circa 38x140mm	38	140			8	83	164	162	156	344	282	1555	154	410
Vuren C24 geschaafd circa 38x170mm	38	170				36	3	2		77		604		1510
Vuren C24 geschaafd circa 36x170mm	38	175				217	155	80	171	43	135	223		
Vuren C24 geschaafd circa 38x184mm	38	184		96	80	290	42	536	73	219	251	88	168	1395
Vuren C24 geschaafd circa 36x195mm	38	200						178	45	14		13		
Vuren C24 geschaafd circa 36x220mm	38	225			123		141	182	238	707	474	514		
Vuren C24 geschaafd circa 38x235mm	38	235		8	83	62	601	619	551	658	968		2	4
Vuren C24 geschaafd circa 36x245mm	38	250						17	107	142	225	22		
Vuren C24 geschaafd circa 36x270mm	38	275										90		
Vuren C geschaafd circa 44x70mm	47	75	590	471	256	335	300	181	77	350	293	866		152
Vuren C24, geschaafd 44x95mm	47	100		111		175	845	156	144	249		359		
Vuren C24, geschaafd 44x120mm	47	125		150	78	520	109	53	98	133	1	13		
Vuren C geschaafd op 44x120mm hakregel	47	125										173		
Vuren C24, geschaafd 44x145mm	47	150			90	85	74	126	128	93	6	9		



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd op 44x170mm	47	175		22	30	89	105	97	87	51				
Vuren C24, geschaafd op 44x195mm	47	200		92	56	190	15	77	63	69	121			
Vuren C24, geschaafd op 44x220mm	47	225		57	34	55	55	37	70	82	105	70		
Vuren C24, geschaafd op 44x245mm	47	250		41	5	47	81	55	80	48	74			
Vuren C24 geschaafd circa 58x155mm	63	160			149	55	18	90	93	68	91			
Vuren C geschaafd circa 70x120mm ronde ...	75	125												
Vuren C geschaafd circa 70x145mm ronde ...	75	150									82	68		
Vuren C24 geschaafd circa 70x170mm	75	175		23	40	44	62	68	33	52	131	113		
Vuren C24 geschaafd circa 70x195mm	75	200		30	67	46	55	34		23	64	10		
Vuren C geschaafd circa 70x195mm ronde ...	75	200									82			
Vuren C24 geschaafd circa 70x220mm	75	225		42	42	47	50	7	22	31		59		
Vuren C24 geschaafd circa 70x245mm	75	250		24	142	13	77	27	28	3		86		

Gevingerlast	B	D	540	570	600	660	750	800	840	900	1000			
Gevingerlast KOMO C24, geschaafd op cir...	32	175		7	40	32	184			206				
Gevingerlast KOMO C24, geschaafd op cir...	32	200		16	143	149	119			145				
Gevingerlast KOMO C24, geschaafd op cir...	32	225		44	80	149	158							
Gevingerlast KOMO C24, geschaafd op cir...	32	250		428	512	557	554			104				
Gevingerlast KOMO C24, geschaafd op cir...	32	275		1	8	17	28			251	42			
Gevingerlast KOMO C24, geschaafd op cir...	38	170		153		215	93		266	48				
Gevingerlast KOMO C24, geschaafd op cir...	38	175		93			139			40				
Gevingerlast KOMO C24, geschaafd op cir...	38	184	40	173	327	247	494			105				
Gevingerlast KOMO C24, geschaafd op cir...	38	200		143	145		90							
Gevingerlast KOMO C24, geschaafd op cir...	38	225		245	205	327	160	459		333				
Gevingerlast KOMO C24, geschaafd op cir...	38	235		2						1				
Gevingerlast KOMO C24, geschaafd op cir...	38	250	8	198	48	336	368			430				
Gevingerlast KOMO C24, geschaafd op cir...	38	275		32	1	6	1			162	61			
Gevingerlast KOMO C24, geschaafd op cir...	38	285	48		16					76				
Gevingerlast KOMO C24, geschaafd op cir...	47	275		237	93	1	118			65	62			
Gevingerlast KOMO C24, geschaafd op cir...	63	160		81	46	66	47			17				
Gevingerlast KOMO C24, geschaafd op cir...	75	175		50	220	198	75			113				
Gevingerlast KOMO C24, geschaafd op cir...	75	200		48	16	21	63			135				
Gevingerlast KOMO C24, geschaafd op cir...	75	225		71	69	145	75			39				
Gevingerlast KOMO C24, geschaafd op cir...	75	250				3	57							