



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Geschaafd, 011x038, Vuren, C, Geegaliseerd	11	38					3220	9474	9800		427			
Geschaafd, 022x050, Vuren, Ventilatiela...	22	50					1							
Vuren C 21.5x48 geëgaliseerd en gebost	22	50		1207	1000				59	3217	1017			
Vuren ventilatielat 28x45 mm hoh 400mm...	32	50					484	1008			144			
Vuren geschaafd op 28x45mm gewolmaniseerd	32	50							1869	264	103			
Vuren C geschaafd circa 30x45mm	32	50				257		709		674	345	1235		
Vuren C geschaafd circa 30x58 mm	32	63		538		597				4	961	806		
Vuren C geschaafd circa 30x70mm	32	75				393	318	137		479	231	408		
Vuren KOMO C geschaafd circa 30x120mm	32	125		186	245	498	403		142	261	432	492		
Vuren KOMO C geschaafd circa 30x145mm	32	150	13		153	237		112	485	446	272	448		
Vuren C24 geschaafd circa 30x170mm	32	175			176	202	271	186	122	295	215	1		
Vuren C24 geschaafd circa 30x195mm	32	200				253	75	286	177	272	86	114		
Vuren C24 geschaafd circa 30x220mm	32	225				69	151	395	194	150	100	667		
Vuren C24 geschaafd circa 30x245mm	32	250				114	124	168	173	285	139	79		
Vuren C24 geschaafd circa 38x089mm	38	89		14	1	164	106	471	275	219	1	1197		
Vuren C24 geschaafd circa 38x120mm	38	120		250		15	130	100	138	160			370	9
Vuren C24 geschaafd circa 38x140mm	38	140				92	91	396	179	129		665	4	
Vuren C24 geschaafd circa 38x170mm	38	170				419	2	214		659		243		1152
Vuren C24 geschaafd circa 36x170mm	38	175				212	150	75	85	33	135	231		
Vuren C24 geschaafd circa 38x184mm	38	184		115	114	96	100	465	82	17	183	227	44	1006
Vuren C24 geschaafd circa 36x195mm	38	200					71	174	138	4	179	20		
Vuren C24 geschaafd circa 36x220mm	38	225						48	238	571	462	27		
Vuren C24 geschaafd circa 38x235mm	38	235		44	541	16	82	656	739	756	914	665	106	1516
Vuren C24 geschaafd circa 36x245mm	38	250				89	59	268	360	208	467	150		
Vuren C geschaafd circa 44x70mm	47	75	437	382	348	307	184	331	192	207		599		4
Vuren C24, geschaafd 44x95mm	47	100		37	91	115	795	194	78	179	238	240		
Vuren C24, geschaafd 44x120mm	47	125		154	50	514	162	106	77	123	267	50		
Vuren C geschaafd op 44x120mm hakregel	47	125										209		
Vuren C24, geschaafd 44x145mm	47	150		131	143	117	195	149	106	138	39	245		
Vuren C24, geschaafd op 44x170mm	47	175		60		8	81	43	10	106				



Geschaafd	B	D	270	300	330	360	390	420	450	480	510	540	570	600
Vuren C24, geschaafd op 44x195mm	47	200		89	54	187	75	67	60	69	222	118		
Vuren C24, geschaafd op 44x220mm	47	225		39	46		39	55	50	64	19	119		
Vuren C24, geschaafd op 44x245mm	47	250		75	1	43	42	89	69	169	62	259		
Vuren C24 geschaafd circa 58x155mm	63	160		53	295	55	99	55	93	50	266	39		
Vuren C geschaafd circa 70x120mm ronde ...	75	125												
Vuren C geschaafd circa 70x145mm ronde ...	75	150										63		
Vuren C24 geschaafd circa 70x170mm	75	175		72	58	37	103	50	59	74	50	82		
Vuren C24 geschaafd circa 70x195mm	75	200		122	10	75	104	127	58	125	157	111		
Vuren C geschaafd circa 70x195mm ronde ...	75	200									82			
Vuren C24 geschaafd circa 70x220mm	75	225		53	35	37	106	44	97	112	202	18		
Vuren C24 geschaafd circa 70x245mm	75	250		1	81	1	6	48	28	1		8		

Gevingerlast	B	D	540	570	600	660	700	750	800	840	900	1000		
Gevingerlast KOMO C24, geschaafd op cir...	32	175		87	134	118		130			158			
Gevingerlast KOMO C24, geschaafd op cir...	32	200		1	150	77		80			134			
Gevingerlast KOMO C24, geschaafd op cir...	32	225		246	427	244		177			320			
Gevingerlast KOMO C24, geschaafd op cir...	32	250		176	23	9		361			131			
Gevingerlast KOMO C24, geschaafd op cir...	32	275				333		174			169	4		
Gevingerlast KOMO C24, geschaafd op cir...	38	170		153		34				96				
Gevingerlast KOMO C24, geschaafd op cir...	38	175		115	163	205		117			81			
Gevingerlast KOMO C24, geschaafd op cir...	38	184	40	173	122						84			
Gevingerlast KOMO C24, geschaafd op cir...	38	200			70	76		66			64			
Gevingerlast KOMO C24, geschaafd op cir...	38	225		237	205	86			123		64			
Gevingerlast KOMO C24, geschaafd op cir...	38	235		353	38	820	865	770			742			
Gevingerlast KOMO C24, geschaafd op cir...	38	250	8	409	555	293		401			580			
Gevingerlast KOMO C24, geschaafd op cir...	38	275		442	226			6			288	60		
Gevingerlast KOMO C24, geschaafd op cir...	38	285	4	121	206	224					89			
Gevingerlast KOMO C24, geschaafd op cir...	47	275		71	51	159		111			50	55		
Gevingerlast KOMO C24, geschaafd op cir...	63	160		63	42	64		43			1			
Gevingerlast KOMO C24, geschaafd op cir...	75	175		83	85	132		24			48			
Gevingerlast KOMO C24, geschaafd op cir...	75	200		48	105	76		80			108			
Gevingerlast KOMO C24, geschaafd op cir...	75	225		63	75	56		74			39			
Gevingerlast KOMO C24, geschaafd op cir...	75	250			34	5					65			